

Impact of a Hybrid Ensemble-Variational Data Assimilation System on the Performance of an ETKF-based EPS System

Åke Johansson, Jelena Bojarova and Nils Gustafsson

Marriage




Time Period




17 JAN - 5 MAR 2008

Time Period




17 JAN - 5 MAR 2008



25 JAN - 6 FEB 2008

Forecast Lead Time



Horizontal Domain


GLAMEPS_V1

486 X 378 points


0.115 X 0.115

NLEV=40

DT=6 min



Vertical Domain



40 Levels

Boundary Conditions

EuroTEPS

Boundary Conditions

EuroTEPS

Zone at the Horizontal Boundaries

Layer at the top of the Model

Ensemble Characteristics

Size: 12 Members

Ensemble Characteristics

Size: 12 Members

Centering: Spherical Simplex


Ensemble Characteristics

Size: 12 Members

Centering: Spherical Simplex

Inconsistent with the BC from EuroTEPS which are Paired

ETKF vs TEPS Analysis



EXPERIMENT COMPARISON - 1

ETKF

VS

EuroTEPS

MODEL

HIRLAM Trunk APR 2010

Boundary Conditions

EuroTEPS

ETKF 20% EuroTEPS 80% ETKF


EuroTEPS 100% EuroTEPS


DATA and **DA**


ONLY Conventional Data


3D-VAR


Error growth
























Vertical structure


and


Amount of Observations


Total amount of assimilated observations


Large variations with cycle














Spectra


Spectra


EuroTEPS










































Spectra


ETKF











EXPERIMENT COMPARISON - 2

ETKF

VS

ETKF Hybrid

MODEL

HIRLAM Trunk NOV 2010

Boundary Conditions

EuroTEPS

ETKF 20% EuroTEPS 80% ETKF

ETKF Hybrid 20 % EuroTEPS 80% ETKF

DATA and **DA**

Conventional Data + ATOVS

3D-VAR ± HYBRID

CAVEAT

Localization scale of implicit Schur product


200 km \rightarrow 500 km


Localization Function


Compact support → Exponential Decay


Error growth


From EXP 1
































































Spectra























Vertical structure


and


Amount of Observations























Conclusions

 The Hybrid System improves some aspects of the ETKF performance

Conclusions

- The Hybrid System improves some aspects of the ETKF performance
- ATOVS data has a beneficial impact on the ETKF performance

Only 2 weeks diagnosed

- Only 2 weeks diagnosed
- Only 12 members

- Only 2 weeks diagnosed
- Only 12 members
- Climatological SST and Sea Ice

- Only 2 weeks diagnosed
- Only 12 members
- Climatological SST and Sea Ice
- Only 1 ATOVS Channel

- Only 2 weeks diagnosed
- Only 12 members
- Climatological SST and Sea Ice
- Only 1 ATOVS Channel
- Too strong localization